

Technical Information


DI-NOC Series Selection

It is important to consider the intended use when selecting DI-NOC patterns. Please refer to the most up-to-date 3M™ DI-NOC™ Architectural Finishes Technical Data Sheet and Installation Guide, which can be found by visiting 3MArchitecturalMarkets.com. You may also contact your 3M Sales Representative for additional information.



Horizontal Print Series

3M™ DI-NOC™ Architectural Finishes Fine Wood (FW) and Wood Grain (WG) Series include horizontal pattern options, which simplify the use of horizontal wood grains by changing the print direction.

Printing direction = Direction of the wood grain length



Affixing a Horizontal Pattern Film on Door



▶ The following chart reflects the horizontal patterns with the corresponding vertical match.

| Horizontal | Vertical |
|------------|----------|
| FW-606H | FW-1134 |
| FW-607H | FW-1133 |
| FW-608H | FW-1123 |
| FW-609H | FW-1113 |
| FW-1039H | FW-1124 |
| FW-1040H | FW-1137 |
| FW-1121H | FW-1022 |
| FW-1130H | FW-1129 |
| FW-1136H | FW-1135 |
| FW-1139H | FW-1138 |
| FW-1145H | FW-1143 |
| WG-1392H | WG-2705 |

Horizontal Print Series products have "H" at the end of the sample product numbers.

Technical Information

Product Characteristics

The values in these tables are typical, and are based on test data deemed reliable but are not warranted.

| Characteristic | Value | |
|----------------|---|---|
| Material | Film | Vinyl for most patterns; Polyolefin for E-series; Polyester for select patterns such as WH-111 |
| | Adhesive | Pressure-sensitive acrylic, permanent |
| | Release Liner | Silicone-coated poly paper |
| Thickness | Film + Adhesive | 8 mils (200 microns) nominal, not including release liner; Some designs vary slightly in thickness due to embossing |
| | Release Liner | 6.2 mils (157 microns) |
| Roll Size | Standard and E-Series | 48 in. x 164 ft. (1,220mm x 50m) |
| | AR, WG-GN, VM, ET | 48 in. x 82 ft. (1220mm x 25m) |
| Weight | 55 lbs. (25kg) (approx.) for a 164 ft. (50m) roll | |

Product Performance

The values in these tables are typical, and are based on test data deemed reliable but are not warranted.

| Characteristic | Evaluation | Results |
|---------------------------|---|--------------------------------------|
| Dimensional Stability* | 4 in. x 4 in. (100mm x 100mm) crosscut in film, after 2 days at room temperature | Largest gap: < 0.01 in. (0.3mm) |
| Thermal Cycle Resistance* | Cycled between -22°F and 150°F (-30°C and 65°C) for 12 days | No delamination or visible change |
| Moisture Resistance* | Aged at 104°F (40°C), 95% humidity for 30 days | No delamination or visible change |
| Cold Impact Resistance* | 2 lb. (907g) weight dropped from 5 in. (12.7cm) height, at 32°F (0°C) using a Gardner Impact Tester | No cracks in film |
| Abrasion Resistance | Taber® CS-17 Abrasion wheel: 1kg loading weight, 7,000 cycles | No wear-through of surface finish |
| Fire Resistance | When used in Interior Applications as defined by NFPA 101 "Life Safety Code", Test Method ASTM E84 | Most Products have Class A |
| Industry-Specific Testing | International Maritime Organization certification, Intertek Firedoor, USCG | Contact 3M for certification details |

*Product applied to an aluminum plate

Technical Information

Stain Resistance

Contaminant was in contact with the film surface for 24 hours and then removed using water or mild detergent. Results may vary.

| Contaminant | Results |
|------------------------|---------|
| Coffee | ● |
| Tea | ○ |
| Cola | ● |
| Milk | ● |
| Red Wine | ● |
| Ketchup | ● |
| Soy Sauce | ● |
| Cooking Oil | ● |
| Vinegar | ● |
| Mustard | ● |
| Crayon | ○ |
| Shoe Polish | ◐ |
| Betadine Iodine | ● |
| Soap Solution (1%) | ● |
| Ammonia Solution (10%) | ● |
| Citrate Solution (10%) | ● |
| Ethyl Alcohol (50%) | ● |

● = Removed with water
 ○ = Removed with mild detergent
 ◐ = A little stain remained

Cleaning and Maintenance

Regular cleaning will help maintain the Product's appearance. Use only clean, nick-free tools and wipe gently. Do not use ammonia, chlorine or organic-based cleaning products, polishing or cleaning compounds, sponges, brushes or electric polishing equipment.

| Problem | Solution |
|-------------------------|---|
| Dust and Grit | Wipe with a soft, damp cloth. |
| Soiled (but not gritty) | Clean using water and a soft cloth. |
| Heavily Soiled | Clean first using a solution of mild liquid detergent and water, then use clear water. Wipe gently with a soft cloth. |

Application and Removal Guidelines

The values in these tables are typical, and are based on test data deemed reliable but are not warranted. See the 3M™ DI-NOC™ Architectural Finishes Installation Guide for additional information.

| Characteristic | Value |
|----------------------------|--|
| Application Surface Type | Smooth, hard, non-porous (sealed) material |
| Application Location | Interior |
| Application Temperature | 54–100°F (12–38°C) air and application surface |
| Application Method | Dry application |
| High Humidity Environments | Products are not recommended for Interior Applications where condensation consistently occurs. |
| Product Removal | Heat at 176–212°F (80–100°C) |

Resistance to Solvents, Cleaners and other Chemicals

Film was applied to an aluminum plate, left for 72 hours, then immersed in the following chemicals:

| Classification | Solvent | Immersion Time | Result |
|---|---------------------------------------|----------------|-------------------|
| Water | Water | 24 hours | No visible change |
| Acid | Hydrogen Peroxide | 72 hours | No visible change |
| Alcohol | Ethanol | 24 hours | No visible change |
| | Isopropyl Alcohol | 72 hours | |
| Cleaners, Disinfectants and Other Chemicals | Clorox® Bleach — 50% bleach/50% water | 72 hours | No visible change |
| | Ecolab® TB Disinfectant Cleaner | | |
| | Formula 409® | | |
| | Lysol® | | |
| | 3M™ Quat Disinfectant #5 — 3M | | |
| | 3M™ Sharpshooter™ — 3M | | |
| Virox® | | | |

Refer to the 3M™ DI-NOC™ Technical Data Sheet for additional details.

Technical Information

Adhesion Compatibility with Application Surfaces

The following table contains peel adhesion information for the Product peeled from various surfaces. A number of surfaces have acceptable adhesion without the use of adhesion promoter. Examples of increased adhesion with adhesion promoters on certain surfaces is presented. Surfaces vary widely, so adhesion should be assessed for each customer substrate. Some surfaces are porous and must be sealed before application of DI-NOC to prevent outgassing of the surface over time.

Test specimens were applied to the substrate and conditioned at 68°F (20°C) for 48 hours, then peel tested at 180° at a tensile speed of 12 in./min. (300mm/min.).


| Substrate | Application Surface | Adhesion Promoter: lb./in. (N/25mm) | | |
|-----------------------|--|-------------------------------------|------------------------|------------------------------------|
| | | No Adhesion Promoter | WP-2000* (water-based) | 3M™ Tape Primer 94 (solvent-based) |
| Wood | MDF (with sealer) | ● | ● | ● |
| | Painted MDF | ● | ● | ● |
| Boards | Gypsum Board (with skim coat and sealer) | ● | ● | ● |
| Metals | Aluminum | ● | ● | ● |
| | Anodized Aluminum | ● | ● | ● |
| | Stainless Steel | ● | ● | ● |
| Glass | Glass | ● | ● | ● |
| Plastics ¹ | ABS | ● | ● | ● |
| | Acrylic | ● | ● | ● |
| | Polyester (PETG) | ● | ● | ● |
| | Polypropylene | ○ | ● | ● |
| | Polyethylene | ○ | ● | ○ |
| | Polycarbonate | ● | ● | ● |
| | DI-NOC Film | ● | ● | ● |

*WP-2000 undiluted for testing. Adhesion promoter may add surface texture. Examine applied DI-NOC pattern for acceptance of visual appearance.

- = Acceptable adhesion
 - = Fails in adhesion
- 1 Bubbles may appear under film due to outgassing if plastic substrate is not fully cured before application.
 - 2 If DI-NOC is wrapped and overlapped around edges, use of an adhesion promoter is highly recommended due to additional stress from wrapping DI-NOC.
 - 3 Sealer was wiped with Isopropyl alcohol to improve adhesion. Adhesion was tested using a spring scale per the 3M™ DI-NOC™ Architectural Finishes Installation Guide and passed at 800–1,000 g/in.

Comply™ Adhesive Technology

Comply Adhesive has air-release channels that allow trapped air bubbles to escape during application. Dry application only.



Index: New Designs

| Product Code | Page | Column |
|--------------------------------|--------|--------|
| AE Earth / Stone | | |
| AE-1717 | NEW 32 | 3-G |
| AE-1718 | NEW 32 | 5-E |
| AE-1719 | NEW 32 | 3-E |
| AM Advanced Metallic | | |
| AM-1696 | NEW 35 | 3-C |
| AM-1697 | NEW 35 | 1-B |
| AM-1698 | NEW 35 | 5-B |
| AM-1699 | NEW 35 | 4-C |
| AM-1700 | NEW 35 | 3-D |
| AM-1701 | NEW 35 | 2-C |
| AM-1702 | NEW 35 | 2-A |
| AM-1720 | NEW 35 | 5-A |
| AM-1721 | NEW 35 | 1-A |
| AM-1722 | NEW 35 | 1-C |
| AR Abrasion Resistant | | |
| AR-1723 | NEW 42 | 4-A |
| AR-1724 | NEW 42 | 5-A |
| AR-1725 | NEW 42 | 3-A |
| AR-1726 | NEW 42 | 6-A |
| CH Metallic Hairline | | |
| CH-1676 | NEW 36 | 3-E |
| CH-1677 | NEW 36 | 2-E |
| ET Effect | | |
| ET-1772 | NEW 34 | 4-G |
| ET-1773 | NEW 34 | 3-G |
| ET-1774 | NEW 34 | 1-G |
| ET-1775 | NEW 34 | 5-G |
| ET-1776 | NEW 34 | 5-H |
| FA Multiple Categories | | |
| FA-1678 | NEW 29 | 1-A |
| FA-1679 | NEW 29 | 4-A |
| FA-1680 | NEW 29 | 3-B |
| FE Metal Leaf / Textile | | |
| FE-1727 | NEW 28 | 3-C |
| FE-1728 | NEW 28 | 3-D |
| FE-1729 | NEW 28 | 3-F |
| FE-1730 | NEW 28 | 1-E |
| FE-1731 | NEW 28 | 1-C |
| FE-1732 | NEW 28 | 3-E |
| FE-1733 | NEW 28 | 5-A |

| Product Code | Page | Column |
|---------------------|--------|--------|
| FW Fine Wood | | |
| FW-1681 | NEW 10 | 3-E |
| FW-1682 | NEW 10 | 3-A |
| FW-1683 | NEW 9 | 4-A |
| FW-1734H | NEW 12 | 3-C |
| FW-1735H | NEW 12 | 2-F |
| FW-1736H | NEW 17 | 1-A |
| FW-1737 | NEW 13 | 1-C |
| FW-1738 | NEW 13 | 3-E |
| FW-1739 | NEW 13 | 3-G |
| FW-1740 | NEW 17 | 1-G |
| FW-1741 | NEW 17 | 2-C |
| FW-1742 | NEW 9 | 2-F |
| FW-1743 | NEW 13 | 4-A |
| FW-1744 | NEW 15 | 2-A |
| FW-1745 | NEW 10 | 1-A |
| FW-1746 | NEW 16 | 1-F |
| FW-1747 | NEW 10 | 1-C |
| FW-1748 | NEW 10 | 4-E |
| FW-1749 | NEW 14 | 4-B |
| FW-1750 | NEW 10 | 4-D |
| FW-1751 | NEW 17 | 1-E |
| FW-1752H | NEW 16 | 3-E |
| FW-1753H | NEW 17 | 2-F |
| FW-1754 | NEW 11 | 1-A |
| FW-1755 | NEW 12 | 1-C |
| FW-1756 | NEW 11 | 3-B |
| FW-1757 | NEW 17 | 3-F |
| FW-1758 | NEW 9 | 3-A |
| FW-1759 | NEW 17 | 4-C |
| FW-1760 | NEW 14 | 1-F |
| FW-1761 | NEW 9 | 1-A |
| FW-1762 | NEW 14 | 1-C |
| FW-1763 | NEW 14 | 1-D |
| FW-1764 | NEW 14 | 3-F |
| FW-1765 | NEW 9 | 4-B |
| FW-1766 | NEW 10 | 4-B |
| FW-1767 | NEW 11 | 2-A |
| FW-1768 | NEW 15 | 1-A |
| FW-1769 | NEW 14 | 2-G |
| FW-1770 | NEW 11 | 1-F |
| FW-1771H | NEW 12 | 3-B |
| ME Metallic | | |
| ME-1684 | NEW 36 | 4-D |
| ME-1685 | NEW 36 | 5-D |
| ME-1716 | NEW 36 | 1-A |

| Product Code | Page | Column |
|--------------------------|--------|--------|
| ME-1777 | NEW 37 | 2-A |
| ME-1778 | NEW 37 | 3-A |
| ME-1779 | NEW 37 | 4-A |
| ME-1780 | NEW 37 | 1-A |
| ME-1781 | NEW 36 | 2-D |
| MW Metallic Wood | | |
| MW-1782 | NEW 18 | 1-F |
| MW-1783 | NEW 18 | 1-D |
| MW-1832 | NEW 18 | 3-E |
| MW-1833 | NEW 18 | 1-A |
| MW-1834 | NEW 18 | 4-A |
| NU Nuno / Textile | | |
| NU-1784 | NEW 26 | 1-E |
| NU-1785 | NEW 26 | 2-E |
| NU-1786 | NEW 26 | 3-E |
| NU-1787 | NEW 26 | 2-F |
| NU-1788 | NEW 26 | 1-F |
| NU-1789 | NEW 27 | 1-C |
| NU-1790 | NEW 27 | 1-B |
| NU-1791 | NEW 26 | 2-G |
| NU-1792 | NEW 26 | 2-H |
| NU-1793 | NEW 26 | 1-G |
| NU-1794 | NEW 26 | 5-E |
| NU-1795 | NEW 26 | 5-G |
| NU-1796 | NEW 26 | 3-G |
| NU-1797 | NEW 26 | 5-H |
| NU-1798 | NEW 27 | 2-C |
| NU-1799 | NEW 27 | 3-C |
| PS Single Color | | |
| PS-1820 | NEW 41 | 5-B |
| PS-1821 | NEW 41 | 1-I |
| PS-1822 | NEW 41 | 1-J |
| PS-1823 | NEW 41 | 4-H |
| PS-1824 | NEW 41 | 4-J |
| PS-1825 | NEW 41 | 3-I |
| PS-1826 | NEW 41 | 3-J |
| RT Aged Metal | | |
| RT-1827 | NEW 31 | 1-G |
| SI Silk | | |
| SI-1686 | NEW 26 | 3-A |
| SI-1687 | NEW 26 | 4-C |
| SI-1688 | NEW 26 | 3-C |
| SI-1689 | NEW 26 | 1-A |

| Product Code | Page | Column |
|-----------------------------|--------|--------|
| ST Stone | | |
| ST-1828 | NEW 32 | 5-A |
| ST-1829 | NEW 32 | 5-B |
| ST-1830 | NEW 32 | 3-C |
| ST-1831 | NEW 32 | 1-A |
| TE Advanced Metallic | | |
| TE-1690 | NEW 35 | 4-A |
| TE-1713 | NEW 35 | 1-E |
| TE-1714 | NEW 35 | 3-E |
| TE-1715 | NEW 35 | 3-F |
| VM Metallic | | |
| VM-1691 | NEW 28 | 3-A |
| VM-1692 | NEW 28 | 3-B |
| VM-1693 | NEW 28 | 1-A |
| VM-1694 | NEW 36 | 3-F |
| VM-1695 | NEW 36 | 1-F |
| WG Wood Grain | | |
| WG-1703 | NEW 19 | 2-H |
| WG-1704 | NEW 23 | 5-D |
| WG-1705 | NEW 20 | 4-A |
| WG-1706 | NEW 23 | 3-D |
| WG-1707 | NEW 20 | 5-A |
| WG-1708 | NEW 23 | 4-A |
| WG-1709 | NEW 20 | 1-A |
| WG-1710 | NEW 19 | 1-H |
| WG-1710GN | NEW 22 | 1-H |
| WG-1712GN | NEW 22 | 1-G |
| WG-1835 | NEW 24 | 2-D |
| WG-1836 | NEW 23 | 2-E |
| WG-1837 | NEW 20 | 4-H |
| WG-1838 | NEW 20 | 5-D |
| WG-1839 | NEW 19 | 1-C |
| WG-1840 | NEW 20 | 3-H |
| WG-1841 | NEW 23 | 3-C |
| WG-1842GN | NEW 22 | 3-H |
| WG-1843 | NEW 19 | 5-D |
| WG-1844 | NEW 20 | 3-F |
| WG-1845 | NEW 20 | 5-F |
| WG-1846 | NEW 19 | 2-B |
| WG-1847 | NEW 19 | 5-A |
| WG-1848 | NEW 23 | 2-A |

Index: E-Series

| Product Code | Page | Column |
|---------------------|--------|--------|
| FW Fine Wood | | |
| FW-236 | NEW 12 | 4-A |
| FW-237 | NEW 13 | 3-D |
| FW-240 | NEW 15 | 1-E |
| FW-324 | NEW 17 | 4-B |
| FW-336 | NEW 9 | 4-E |
| FW-337 | NEW 11 | 3-D |
| FW-619 | NEW 15 | 2-F |
| FW-625 | NEW 16 | 3-A |
| FW-640 | NEW 17 | 3-B |
| FW-641 | NEW 17 | 3-E |
| FW-643 | NEW 16 | 2-D |
| FW-648 | NEW 16 | 3-B |
| FW-649 | NEW 15 | 4-F |
| FW-651 | NEW 16 | 1-B |
| FW-1129 | NEW 10 | 1-D |
| FW-1138 | NEW 9 | 1-C |
| FW-1139H | NEW 9 | 2-C |
| FW-1211 | NEW 10 | 3-B |
| FW-1212 | NEW 12 | 2-A |
| FW-1213 | NEW 11 | 1-C |
| FW-1217 | NEW 9 | 4-G |

| Product Code | Page | Column |
|--------------|--------|--------|
| FW-1218 | NEW 11 | 2-E |
| FW-1255 | NEW 9 | 3-F |
| FW-1256 | NEW 10 | 2-E |
| FW-1257 | NEW 12 | 1-D |
| FW-1261 | NEW 9 | 4-F |
| FW-1262 | NEW 10 | 1-G |
| FW-1265 | NEW 12 | 1-A |
| FW-1266 | NEW 9 | 1-C |
| FW-1271 | NEW 9 | 1-E |
| FW-1272 | NEW 10 | 4-G |
| FW-1273 | NEW 14 | 4-A |
| FW-1274 | NEW 9 | 3-G |
| FW-1275 | NEW 17 | 2-B |
| FW-1276 | NEW 13 | 2-E |
| FW-1278 | NEW 14 | 4-C |
| FW-1283 | NEW 13 | 1-G |
| FW-1284 | NEW 10 | 1-F |
| FW-1296 | NEW 12 | 2-C |
| FW-1297 | NEW 14 | 2-D |
| FW-1300 | NEW 11 | 4-C |
| FW-1301 | NEW 17 | 1-D |
| FW-1302 | NEW 11 | 4-A |
| FW-1304 | NEW 11 | 1-B |

| Product Code | Page | Column |
|----------------------|--------|--------|
| FW-1306 | NEW 12 | 1-E |
| FW-1307 | NEW 11 | 3-A |
| FW-1801 | NEW 15 | 4-D |
| FW-7001 | NEW 9 | 1-D |
| FW-7006 | NEW 15 | 1-G |
| FW-7007 | NEW 17 | 3-A |
| FW-7008 | NEW 14 | 2-F |
| FW-7009 | NEW 16 | 2-C |
| PG Abstract | | |
| PG-189 | NEW 33 | 5-H |
| PG-197 | NEW 33 | 3-F |
| PG-1182 | NEW 33 | 4-H |
| WG Wood Grain | | |
| WG-159 | NEW 23 | 4-H |
| WG-250 | NEW 20 | 1-C |
| WG-256 | NEW 20 | 4-G |
| WG-662 | NEW 19 | 5-E |
| WG-664 | NEW 24 | 5-A |
| WG-695 | NEW 24 | 4-D |
| WG-696 | NEW 19 | 5-F |
| WG-831 | NEW 21 | 4-D |
| WG-845 | NEW 21 | 2-B |

| Product Code | Page | Column |
|--------------|--------|--------|
| WG-854 | NEW 21 | 1-F |
| WG-856 | NEW 20 | 1-F |
| WG-857 | NEW 21 | 1-D |
| WG-946 | NEW 20 | 3-D |
| WG-947 | NEW 19 | 3-G |
| WG-960 | NEW 19 | 2-D |
| WG-1044 | NEW 24 | 2-B |
| WG-1046 | NEW 19 | 4-C |
| WG-1052 | NEW 23 | 5-B |
| WG-1057 | NEW 23 | 5-B |
| WG-1058 | NEW 21 | 1-G |
| WG-1069 | NEW 19 | 3-B |
| WG-1140 | NEW 23 | 5-A |
| WG-1141 | NEW 20 | 4-E |
| WG-1143 | NEW 20 | 1-H |
| WG-1336 | NEW 19 | 4-G |
| WG-1337 | NEW 20 | 5-H |
| WG-1338 | NEW 23 | 5-H |
| WG-1375 | NEW 22 | 2-C |
| WG-1376 | NEW 24 | 1-C |
| WG-2304 | NEW 23 | 1-H |

- ★ For interior applications requiring maximum resistance to fading from UV exposure
- ☆ For interior applications requiring maximum resistance to UV fading, not recommended for use on PVC-coated steel panels
- Ⓜ Not recommended for use on compound curved surfaces
- Ⓜ Not recommended for butt joint applications

- NEW New design
- Ⓜ Available in E-series
- H A product number ending in "H" indicates horizontal grain direction
- Ⓜ Pattern is large scale; view full pattern width image at 3M.com/AMD
- Ⓜ Available in EX Series. See page 43 for visual appearance.

Index: All Designs

| Product Code | Page | Column |
|------------------------------|--------|--------|
| AE Earth / Stone | | |
| AE-1632 | 31 | 3-D |
| AE-1633 | 31 | 4-D |
| AE-1634 | 31 | 1-D |
| AE-1635 | 31 | 2-D |
| AE-1636 | 31 | 1-E |
| AE-1637 | 31 | 3-A |
| AE-1638 | 31 | 1-A |
| AE-1639 | 31 | 3-B |
| AE-1640 | 31 | 5-B |
| AE-1641 | 31 | 5-A |
| AE-1642 | 31 | 4-A |
| AE-1643 | 29 | 4-C |
| AE-1644 | 29 | 5-B |
| AE-1645 | 32 | 5-G |
| AE-1646 | 32 | 5-H |
| AE-1717 | NEW 32 | 5-H |
| AE-1718 | NEW 32 | 5-E |
| AE-1719 | NEW 32 | 3-C |
| AM Advanced Metallic | | |
| AM-1696 | NEW 35 | 3-C |
| AM-1697 | NEW 35 | 1-B |
| AM-1698 | NEW 35 | 5-B |
| AM-1699 | NEW 35 | 4-C |
| AM-1700 | NEW 35 | 3-D |
| AM-1701 | NEW 35 | 2-C |
| AM-1702 | NEW 35 | 2-A |
| AM-1720 | NEW 35 | 5-A |
| AM-1721 | NEW 35 | 1-A |
| AM-1722 | NEW 35 | 1-C |
| AR Abrasion Resistant | | |
| AR-1115 | 42 | 1-B |
| AR-1116 | 42 | 2-C |
| AR-1117 | 42 | 6-B |
| AR-1118 | 42 | 6-C |
| AR-1119 | 42 | 7-B |
| AR-1120 | 42 | 7-C |
| AR-1245 | 42 | 1-A |
| AR-1246 | 42 | 5-B |
| AR-1247 | 42 | 2-B |
| AR-1248 | 42 | 3-B |
| AR-1249 | 42 | 4-C |
| AR-1250 | 42 | 4-B |
| AR-1251 | 42 | 3-C |
| AR-1661 | 42 | 1-C |
| AR-1662 | 42 | 7-A |
| AR-1663 | 42 | 5-C |
| AR-1664 | 42 | 2-A |
| AR-1723 | NEW 42 | 4-A |
| AR-1724 | NEW 42 | |

Index: All Designs

| Product Code | Page | Column |
|--------------|--------|--------|
| FW-1759 | NEW 17 | 4-C |
| FW-1760 | NEW 14 | 1-F |
| FW-1761 | NEW 9 | 1-A |
| FW-1762 | NEW 17 | 3-C |
| FW-1763 | NEW 14 | 1-D |
| FW-1764 | NEW 14 | 3-F |
| FW-1765 | NEW 9 | 4-B |
| FW-1766 | NEW 10 | 4-B |
| FW-1767 | NEW 11 | 2-A |
| FW-1768 | NEW 15 | 1-A |
| FW-1769 | NEW 14 | 2-G |
| FW-1770 | NEW 11 | 1-F |
| FW-1771H | NEW 12 | 3-B |
| FW-1801 | NEW 15 | 4-D |
| FW-1805 | NEW 12 | 2-E |
| FW-1810 | NEW 10 | 3-G |
| FW-1811 | NEW 9 | 2-D |
| FW-7001 | NEW 9 | 1-D |
| FW-7006 | NEW 15 | 1-G |
| FW-7007 | NEW 17 | 3-A |
| FW-7008 | NEW 14 | 2-F |
| FW-7009 | NEW 16 | 2-C |
| FW-7011 | NEW 12 | 1-F |
| FW-7013 | NEW 15 | 4-G |
| FW-7014 | NEW 16 | 3-D |
| FW-7015 | NEW 16 | 4-A |
| FW-7016 | NEW 15 | 3-F |
| FW-7017 | NEW 9 | 4-C |

| Product Code | Page | Column |
|--------------|--------|--------|
| HW-1201 | NEW 39 | 2-H |
| HW-1205 | NEW 39 | 1-F |
| HW-1511 | NEW 39 | 1-G |
| HW-1512 | NEW 39 | 2-F |
| HW-1513 | NEW 39 | 2-G |
| HW-1514 | NEW 39 | 1-H |

| Product Code | Page | Column |
|--------------|--------|--------|
| HS-1655 | NEW 29 | 3-F |
| HS-1656 | NEW 29 | 1-F |
| HS-1657 | NEW 29 | 3-G |
| HS-1658 | NEW 29 | 2-H |

| Product Code | Page | Column |
|--------------|--------|--------|
| LE-018 | NEW 30 | 1-D |
| LE-137 | NEW 30 | 3-C |
| LE-517 | NEW 30 | 4-C |
| LE-703 | NEW 30 | 5-E |
| LE-783 | NEW 30 | 5-D |
| LE-1104 | NEW 30 | 4-E |
| LE-1105 | NEW 30 | 1-C |
| LE-1106 | NEW 30 | 4-D |
| LE-1108 | NEW 30 | 3-D |
| LE-1109 | NEW 30 | 2-E |
| LE-1171 | NEW 30 | 5-A |
| LE-1226 | NEW 39 | 1-A |
| LE-1227 | NEW 39 | 1-D |
| LE-1229 | NEW 39 | 1-C |
| LE-1230 | NEW 39 | 2-B |
| LE-1231 | NEW 39 | 2-C |
| LE-1551 | NEW 30 | 5-B |
| LE-1552 | NEW 30 | 2-C |
| LE-1553 | NEW 30 | 1-A |
| LE-1554 | NEW 30 | 2-B |
| LE-1555 | NEW 30 | 4-B |
| LE-1556 | NEW 30 | 2-A |
| LE-2128 | NEW 30 | 2-D |
| LE-2367 | NEW 30 | 1-E |
| LE-2741 | NEW 30 | 3-A |
| LE-2742 | NEW 30 | 4-A |
| LE-2782 | NEW 30 | 3-B |

| Product Code | Page | Column |
|--------------|--------|--------|
| LW-1081 | NEW 38 | 2-G |
| LW-1083 | NEW 38 | 3-H |
| LW-1084 | NEW 38 | 3-G |
| LW-1085 | NEW 38 | 2-H |

| Product Code | Page | Column |
|--------------|--------|--------|
| LZ-461 | NEW 33 | 1-E |
| LZ-462 | NEW 33 | 4-G |
| LZ-587 | NEW 33 | 2-H |

| Product Code | Page | Column |
|--------------|--------|--------|
| ME-147 | NEW 37 | 5-A |
| ME-377 | NEW 36 | 3-A |
| ME-379 | NEW 36 | 3-D |
| ME-380 | NEW 36 | 4-C |
| ME-388 | NEW 37 | 1-B |
| ME-391 | NEW 37 | 4-B |
| ME-396 | NEW 36 | 1-D |
| ME-431 | NEW 37 | 5-G |
| ME-432 | NEW 37 | 3-D |
| ME-433 | NEW 37 | 2-D |
| ME-486 | NEW 36 | 3-B |
| ME-904 | NEW 36 | 4-A |
| ME-1174 | NEW 36 | 5-A |
| ME-1175 | NEW 36 | 5-C |
| ME-1176 | NEW 37 | 4-G |
| ME-1223 | NEW 36 | 2-B |
| ME-1224 | NEW 36 | 4-B |
| ME-1225 | NEW 36 | 3-C |
| ME-1434 | NEW 36 | 1-D |
| ME-1435 | NEW 36 | 5-A |
| ME-1466 | NEW 36 | 2-A |
| ME-1467 | NEW 37 | 1-D |
| ME-1468 | NEW 29 | 1-D |
| ME-1469 | NEW 29 | 2-D |
| ME-1684 | NEW 36 | 2-D |
| ME-1685 | NEW 36 | 5-D |
| ME-1716 | NEW 36 | 1-A |
| ME-1777 | NEW 37 | 2-A |
| ME-1778 | NEW 37 | 3-A |
| ME-1779 | NEW 37 | 4-A |
| ME-1780 | NEW 37 | 1-A |
| ME-1781 | NEW 36 | 2-D |

| Product Code | Page | Column |
|--------------|--------|--------|
| MW-776 | NEW 18 | 2-E |
| MW-777 | NEW 18 | 3-E |
| MW-1177 | NEW 18 | 2-D |
| MW-1242 | NEW 18 | 2-C |
| MW-1243 | NEW 18 | 3-C |
| MW-1244 | NEW 18 | 4-C |
| MW-1416 | NEW 18 | 1-C |
| MW-1417 | NEW 18 | 2-F |
| MW-1418 | NEW 18 | 4-B |
| MW-1419 | NEW 18 | 3-D |
| MW-1420 | NEW 18 | 4-E |
| MW-1421 | NEW 18 | 4-D |
| MW-1782 | NEW 18 | 1-F |
| MW-1783 | NEW 18 | 1-D |
| MW-1832 | NEW 18 | 3-A |
| MW-1833 | NEW 18 | 1-A |
| MW-1834 | NEW 18 | 4-A |

| Product Code | Page | Column |
|--------------|--------|--------|
| NU-1237 | NEW 27 | 1-A |
| NU-1238 | NEW 27 | 3-A |
| NU-1239 | NEW 27 | 2-A |
| NU-1240 | NEW 27 | 4-A |
| NU-1241 | NEW 27 | 5-A |
| NU-1801 | NEW 27 | 3-C |
| NU-1802 | NEW 27 | 4-C |
| NU-1803 | NEW 27 | 4-D |
| NU-1804 | NEW 27 | 5-C |
| NU-1805 | NEW 27 | 5-D |
| NU-1784 | NEW 26 | 1-E |
| NU-1785 | NEW 26 | 2-E |
| NU-1786 | NEW 26 | 3-E |
| NU-1787 | NEW 26 | 1-F |
| NU-1788 | NEW 26 | 1-F |
| NU-1789 | NEW 27 | 1-C |
| NU-1790 | NEW 27 | 1-B |
| NU-1791 | NEW 26 | 2-G |

| Product Code | Page | Column |
|--------------|--------|--------|
| NU-1792 | NEW 26 | 2-H |
| NU-1793 | NEW 26 | 1-G |
| NU-1794 | NEW 26 | 5-E |
| NU-1795 | NEW 26 | 5-G |
| NU-1796 | NEW 26 | 3-G |
| NU-1797 | NEW 26 | 5-H |
| NU-1798 | NEW 27 | 2-C |
| NU-1799 | NEW 27 | 3-D |

| Product Code | Page | Column |
|--------------|--------|--------|
| PA-036 | NEW 37 | 3-G |
| PA-038 | NEW 37 | 3-F |
| PA-039 | NEW 37 | 5-E |
| PA-045 | NEW 37 | 4-D |
| PA-046 | NEW 37 | 2-E |
| PA-175 | NEW 37 | 5-F |
| PA-177 | NEW 37 | 2-G |
| PA-178 | NEW 37 | 1-G |
| PA-179 | NEW 37 | 2-F |
| PA-180 | NEW 37 | 1-E |
| PA-181 | NEW 37 | 3-H |
| PA-183 | NEW 37 | 2-H |
| PA-184 | NEW 37 | 1-H |
| PA-185 | NEW 37 | 4-H |
| PA-187 | NEW 37 | 5-D |
| PA-320 | NEW 37 | 1-F |
| PA-389 | NEW 37 | 5-H |
| PA-390 | NEW 37 | 4-E |
| PA-683 | NEW 37 | 3-E |

| Product Code | Page | Column |
|--------------|--------|--------|
| PC-491 | NEW 33 | 2-B |
| PC-672 | NEW 33 | 1-A |
| PC-758 | NEW 33 | 1-C |
| PC-760 | NEW 33 | 2-C |
| PC-1178 | NEW 33 | 3-B |
| PC-1179 | NEW 33 | 3-A |
| PC-1181 | NEW 33 | 2-A |

| Product Code | Page | Column |
|--------------|--------|--------|
| PG-1182 | NEW 33 | 4-H |
| PG-189 | NEW 33 | 5-H |
| PG-190 | NEW 33 | 5-G |
| PG-193 | NEW 33 | 1-H |
| PG-194 | NEW 33 | 2-G |
| PG-195 | NEW 33 | 3-H |
| PG-197 | NEW 33 | 3-F |

| Product Code | Page | Column |
|--------------|--------|--------|
| PS-022 | NEW 40 | 4-F |
| PS-027 | NEW 40 | 3-F |
| PS-031 | NEW 40 | 3-C |
| PS-034 | NEW 40 | 3-G |
| PS-042 | NEW 40 | 3-D |
| PS-048 | NEW 40 | 4-D |
| PS-073 | NEW 40 | 2-E |
| PS-074 | NEW 40 | 4-C |
| PS-075 | NEW 40 | 3-E |
| PS-090 | NEW 40 | 2-D |
| PS-091 | NEW 40 | 2-F |
| PS-093 | NEW 40 | 4-E |
| PS-096 | NEW 41 | 1-A |
| PS-107 | NEW 41 | 5-A |
| PS-110 | NEW 40 | 4-I |
| PS-112 | NEW 41 | 5-A |
| PS-116 | NEW 41 | 2-B |
| PS-121 | NEW 41 | 4-E |
| PS-134 | NEW 41 | 1-G |
| PS-135 | NEW 41 | 2-F |
| PS-139 | NEW 41 | 2-I |
| PS-140 | NEW 41 | 3-G |
| PS-141 | NEW 41 | 1-H |
| PS-151 | NEW 41 | 5-I |
| PS-281 | NEW 41 | 4-B |
| PS-292 | NEW 40 | 4-H |
| PS-293 | NEW 40 | 4-J |
| PS-294 | NEW 40 | 4-K |
| PS-503 | NEW 40 | 6-A |

| Product Code | Page | Column |
|--------------|--------|--------|
| PS-504 | NEW 40 | 6-J |
| PS-506 | NEW 41 | 3-F |
| PS-665 | NEW 41 | 2-H |
| PS-668 | NEW 41 | 3-H |
| PS-713 | NEW 41 | 3-B |
| PS-719 | NEW 41 | 2-A |
| PS-885 | NEW 40 | 6-I |
| PS-900 | NEW 41 | 5-F |
| PS-910 | NEW 41 | 5-E |
| PS-912 | NEW 41 | 1-E |
| PS-914 | NEW 41 | 2-G |
| PS-920 | NEW 41 | 3-E |
| PS-948 | NEW 40 | 5-J |
| PS-949 | NEW 40 | 6-G |
| PS-950 | NEW 40 | 6-F |
| PS-952 | NEW 40 | 6-E |
| PS-954 | NEW 40 | 6-D |
| PS-955 | NEW 40 | 6-C |
| PS-957 | NEW 40 | 5-B |
| PS-959 | NEW 40 | 5-A |
| PS-971 | NEW 40 | 5-F |
| PS-975 | NEW 40 | 1-B |
| PS-976 | NEW 40 | 4-B |
| PS-982 | NEW 40 | 4-C |
| PS-983 | NEW 40 | 2-A |
| PS-992 | NEW 40 | 6-H |
| PS-998 | NEW 40 | 3-A |
| PS-999 | NEW 40 | 5-K |
| PS-1005 | NEW 40 | 5-G |
| PS-1008 | NEW 41 | 5-G |
| PS-1009 | NEW 41 | 5-H |
| PS-1010 | NEW 41 | 2-E |
| PS-1183MT | NEW 40 | 6-K |
| PS-1184 | NEW 40 | 5-D |
| PS-1185 | NEW 40 | 2-C |
| PS-1186 | NEW 40 | 3-B |
| PS-1187 | NEW 40 | 1-A |
| PS-1188 | NEW 40 | 2-A |
| PS-1436 | NEW 40 | 2-B |
| PS-1437 | NEW 40 | 5-C |
| PS-1438 | NEW 40 | 5-E |
| PS-1439 | NEW 40 | 5-H |
| PS-1440 | NEW 40 | 5-I |
| PS-1441 | NEW 40 | 6-B |
| PS-1442 | NEW 41 | 1-B |
| PS-1443 | NEW 41 | 1-D |
| PS-1444 | NEW 41 | 1-F |
| PS-1446 | NEW 41 | 2-D |
| PS-1447 | NEW 41 | 2-J |
| PS-1448 | NEW 41 | 3-A |
| PS-1450 | NEW 41 | 3-D |
| PS-1452 | NEW 41 | 4-A |
| PS-1454 | NEW 41 | 4-D |
| PS-1455 | NEW 41 | 4-F |
| PS-1456 | NEW 41 | 4-G |
| PS-1457 | NEW 41 | 4-I |
| PS-1459 | NEW 41 | 5-D |
| PS-1620 | NEW 41 | 5-B |
| PS-1821 | NEW 41 | 1-I |
| PS-1822 | NEW 41 | 1-J |
| PS-1823 | NEW 41 | 4-H |
| PS-1824 | NEW 41 | 4-J |
| PS-1825 | NEW 41 | 3-I |
| PS-1826 | NEW 41 | 3-J |

| Product Code | Page | Column |
|--------------|--------|--------|
| PT-345 | NEW 33 | 1-G |
| PT-346 | NEW 33 | 5-E |
| PT-347 | NEW 33 | 5-F |
| PT-735 | NEW 33 | 3-E |

| Product Code | Page | Column |
|--------------|--------|--------|
| PWF-500 | NEW 43 | 2-A |

| Product Code | Page | Column |
|--------------|--------|--------|
| RS-189 | NEW 38 | 1-H |
| RS-190 | NEW 38 | 1-G |

- * For interior applications requiring maximum resistance to fading from UV exposure
- Available in E-Series
- For interior applications requiring maximum resistance to UV fading, not recommended for use on PVC-coated steel panels
- Not recommended for use on compound curved surfaces
- Not recommended for butt joint applications

- NEW New design
- Available in E-Series
- A product number ending in "H" indicates horizontal grain direction
- Pattern is large scale; view full pattern width image at 3M.com/AMD
- Available in EX Series. See page 43 for visual appearance.

| Product Code | Page | Column |
|--------------|--------|--------|
| RT-1111 | NEW 31 | 5-H |
| RT-1112 | NEW 31 | 4-G |
| RT-1827 | NEW 31 | 1-G |

| Product Code | Page | Column |
|--------------|--------|--------|
| SE-667 | NEW 33 | 4-F |
| SE-668 | NEW 33 | 3-G |
| SE-670 | NEW 33 | 4-E |

| Product Code | Page | Column |
|--------------|--------|--------|
| SI-1232 | NEW 26 | 3-B |
| SI-1233 | NEW 26 | 2-C |
| SI-1234 | NEW 26 | 4-B |
| SI-1235 | NEW 26 | 1-C |
| SI-1611 | NEW 26 | 4-A |
| SI-1612 | NEW 26 | 5-A |
| SI-1613 | NEW 26 | 5-B |
| SI-1686 | NEW 26 | 3-A |
| SI-1687 | NEW 26 | 4-C |
| SI-1688 | NEW 26 | 3-C |
| SI-1689 | NEW 26 | 1-A |

| Product Code | Page | Column |
|--------------|--------|--------|
| ST-442 | NEW 32 | 4-C |
| ST-736 | NEW 32 | 3-B |
| ST-737 | NEW 32 | 4-B |
| ST-1195 | NEW 32 | 4-A |
| ST-1586 | NEW 32 | 1-C |
| ST-1587 | NEW 32 | 2-C |
| ST-1588 | NEW 32 | 3-A |
| ST-1828 | NEW 32 | 5-A |
| ST-1829 | NEW 32 | 5-B |
| ST-1830 | NEW 32 | 3-C |
| ST-1831 | NEW 32 | 1-A |

| Product Code | Page | Column |
|--------------|--------|--------|
| TE-1650 | NEW 35 | 1-G |
| TE-1651 | NEW 35 | 2-G |
| TE-1652 | NEW 35 | 3-G |
| TE-1653 | NEW 35 | 2-H |
| TE-1654 | NEW 35 | 3-H |
| TE-1690 | NEW 35 | 4-A |
| TE-1713 | NEW 35 | 1-E |
| TE-1714 | NEW 35 | 3-E |
| TE-1715 | NEW 35 | 3-F |

| Product Code | Page | Column |
|--------------|--------|--------|
| VM-168 | NEW 37 | 4-F |
| VM-305 | NEW 36 | 2-C |
| VM-306 | NEW 36 | 1-C |
| VM-381 | NEW 37 | 3-B |
| VM-383 | NEW 37 | 2-B |
| VM-452 | NEW 28 | 4-A |
| VM-500 | NEW 37 | 5-B |
| VM-1406 | NEW 35 | 1-H |
| VM-1467 | NEW 36 | 2-F |
| VM-1488 | NEW 36 | 4-F |
| VM-1489 | NEW 36 | 2-C |
| VM-1691 | NEW 28 | 3-A |
| VM-1692 | NEW 28 | 3-B |
| VM-1693 | NEW 28 | 1-A |
| VM-1694 | NEW 36 | 3-F |
| VM-1695 | NEW 36 | 1-F |

| Product Code | Page | Column |
|--------------|--------|--------|
| WG-156 | NEW 24 | 4-A |
| WG-157 | NEW 23 | 5-C |
| WG-159 | NEW 23 | 4-H |
| WG-166 | NEW 1 | |

Index: Wood Type

| Product Code | Page | Column |
|-------------------------|------|--------|
| Alder | | |
| WG-841 | 21 | 5-E |
| Anigre | | |
| FW-231 | 13 | 2-C |
| FW-232 | 15 | 1-F |
| FW-888 | 13 | 4-E |
| FW-889 | 13 | 4-G |
| Ash | | |
| FW-336 | 9 | 4-E |
| FW-337 | 11 | 3-D |
| FW-1258 | 10 | 3-C |
| FW-1259 | 11 | 2-D |
| FW-1293 | 10 | 1-F |
| FW-1294 | 11 | 4-D |
| FW-1296 | 12 | 2-C |
| FW-1297 | 14 | 2-D |
| WG-156 | 24 | 4-A |
| WG-467 | 19 | 4-D |
| WG-947 | 19 | 3-G |
| WG-960 | 19 | 2-D |
| WG-1143 | 20 | 1-H |
| WG-1145H | 20 | 2-H |
| WG-1343 | 20 | 3-A |
| WG-1344 | 20 | 1-B |
| WG-1345 | 19 | 3-D |
| WG-1346 | 21 | 3-B |
| WG-1347 | 21 | 4-B |
| WG-1348 | 23 | 2-B |
| WG-1349 | 23 | 2-C |
| WG-1350 | 24 | 1-A |
| WG-1351 | 24 | 4-C |
| WG-1352 | 22 | 3-A |
| WG-1353 | 19 | 3-H |
| WG-1354 | 19 | 5-H |
| WG-2839 | 21 | 3-A |
| Beech | | |
| FW-327 | 13 | 1-A |
| FW-616 | 12 | 3-A |
| WG-856 | 20 | 1-F |
| WG-857 | 21 | 1-D |
| Birch | | |
| FW-1211 | 10 | 3-B |
| Birdseye Maple | | |
| WG-763 | 21 | 4-F |
| WG-763GN | 22 | 3-G |
| FW-1212 | 12 | 2-A |
| FW-1213 | 11 | 1-C |
| Black Limber | | |
| WG-1196 | 23 | 3-A |
| Bombay Blackwood | | |
| WG-1818 | 24 | 2-A |
| Camphor | | |
| FW-7011 | 12 | 1-F |
| Cherry | | |
| FW-234 | 13 | 1-B |
| FW-612 | 13 | 4-D |
| FW-655 | 13 | 4-F |
| FW-1279 | 10 | 2-F |
| FW-1280 | 13 | 3-A |
| FW-1281 | 13 | 2-F |
| FW-1282 | 16 | 2-B |
| FW-1283 | 13 | 2-A |
| WG-364 | 22 | 4-C |
| WG-629 | 21 | 2-E |
| WG-855 | 22 | 1-A |
| WG-865 | 22 | 2-B |
| WG-877 | 21 | 1-B |

| Product Code | Page | Column |
|----------------------------------|------|--------|
| WG-878 | 21 | 1-E |
| WG-1057 | 23 | 5-B |
| WG-1058 | 21 | 1-G |
| WG-1142 | 21 | 2-G |
| WG-1360 | 21 | 1-H |
| WG-1361 | 22 | 2-A |
| WG-1362 | 22 | 3-C |
| WG-1363 | 22 | 5-B |
| WG-1364 | 24 | 3-A |
| WG-1375 | 22 | 2-C |
| WG-1377 | 19 | 5-B |
| WG-1815 | 20 | 3-G |
| Chestnut | | |
| FW-1217 | 9 | 4-G |
| FW-1810 | 10 | 3-G |
| Design Wood | | |
| MW-1177 | 18 | 2-D |
| MW-1416 | 18 | 1-C |
| MW-1417 | 18 | 2-F |
| WG-416 | 21 | 2-C |
| WG-417 | 22 | 4-D |
| WG-428 | 24 | 3-E |
| WG-657 | 19 | 1-A |
| WG-658 | 20 | 3-B |
| WG-659 | 19 | 5-C |
| WG-962 | 22 | 3-B |
| Diospyros | | |
| FW-731 | 12 | 2-D |
| Ebony | | |
| FW-643 | 16 | 2-D |
| FW-653 | 16 | 1-D |
| WG-664 | 24 | 5-A |
| WG-1070 | 24 | 1-D |
| WG-1071 | 19 | 3-A |
| WG-7029 | 23 | 1-F |
| MW-776 | 18 | 2-E |
| MW-777 | 18 | 3-E |
| MW-1242 | 18 | 2-C |
| MW-1243 | 18 | 3-C |
| MW-1244 | 18 | 4-C |
| MW-1420 | 18 | 4-E |
| MW-1421 | 18 | 4-D |
| Elm | | |
| FW-1214 | 10 | 3-F |
| FW-1215 | 11 | 1-E |
| FW-1216 | 17 | 2-A |
| FW-1265 | 12 | 1-A |
| FW-1266 | 11 | 2-C |
| FW-7001 | 9 | 1-D |
| WG-1044 | 24 | 2-B |
| WG-1046 | 19 | 4-C |
| Hard Maple | | |
| WG-242 | 21 | 3-E |
| WG-243 | 20 | 4-F |
| Hickory | | |
| WG-1063 | 24 | 5-B |
| WG-1064 | 23 | 2-F |
| Hinoki | | |
| WG-453 | 20 | 2-D |
| WG-845 | 21 | 2-B |
| Japanese Bigleaf Magnolia | | |
| FW-1138 | 9 | 1-C |
| FW-1139H | 9 | 2-C |
| Japanese Linden | | |
| WG-1812 | 20 | 4-D |

| Product Code | Page | Column |
|------------------------|------|--------|
| Japanese Nutmeg | | |
| WG-1052 | 24 | 5-C |
| Mahogany | | |
| FW-648 | 16 | 3-B |
| FW-649 | 15 | 4-F |
| FW-677 | 15 | 3-C |
| FW-886 | 15 | 1-D |
| FW-887 | 15 | 3-G |
| FW-1037 | 16 | 4-B |
| FW-1040H | 15 | 4-E |
| FW-1137 | 15 | 3-F |
| FW-7016 | 15 | 3-E |
| WG-1146 | 23 | 4-F |
| WG-1816 | 23 | 5-F |
| Maple | | |
| FW-334 | 16 | 2-F |
| FW-1261 | 9 | 4-F |
| WG-831 | 21 | 4-D |
| WG-832 | 20 | 1-E |
| WG-833 | 20 | 5-C |
| WG-835 | 20 | 2-E |
| WG-836 | 22 | 1-B |
| WG-837 | 20 | 3-A |
| WG-879 | 22 | 1-C |
| WG-1378 | 19 | 1-D |
| WG-1814 | 21 | 5-A |
| Oak | | |
| FW-236 | 12 | 4-A |
| FW-237 | 13 | 3-D |
| FW-625 | 16 | 3-A |
| FW-627 | 16 | 2-G |
| FW-788 | 9 | 3-C |
| FW-789 | 10 | 4-A |
| FW-1127 | 17 | 2-D |
| FW-1129 | 10 | 1-D |
| FW-1130H | 10 | 2-D |
| FW-1255 | 9 | 3-F |
| FW-1256 | 10 | 2-E |
| FW-1257 | 12 | 1-D |
| FW-1268 | 9 | 3-E |
| FW-1269 | 10 | 2-G |
| FW-1270 | 15 | 2-E |
| FW-1285 | 10 | 4-F |
| FW-1286 | 12 | 4-B |
| FW-1287 | 11 | 4-B |
| FW-1288 | 16 | 3-G |
| FW-1289 | 10 | 3-D |
| FW-1290 | 17 | 4-A |
| FW-1291 | 10 | 2-C |
| FW-1292 | 11 | 1-D |
| FW-1300 | 11 | 4-C |
| FW-1301 | 17 | 1-D |
| FW-1306 | 12 | 1-E |
| FW-7017 | 9 | 4-C |
| WG-166 | 19 | 4-E |
| WG-256 | 20 | 4-G |
| WG-378 | 20 | 4-B |
| WG-685 | 23 | 4-D |
| WG-696 | 19 | 5-F |
| WG-697 | 23 | 4-B |
| WG-854 | 21 | 1-F |
| WG-943 | 21 | 3-F |
| WG-964 | 19 | 2-E |
| WG-1050 | 24 | 2-E |
| WG-1144 | 19 | 3-E |
| WG-1219 | 20 | 4-C |
| WG-1220 | 19 | 2-C |
| WG-1221 | 20 | 1-D |
| WG-1339 | 19 | 4-B |
| WG-1340 | 20 | 2-B |
| WG-1341 | 20 | 2-C |
| WG-1342 | 19 | 5-F |
| WG-1355 | 19 | 1-G |

| Product Code | Page | Column |
|---------------------|------|--------|
| WG-1356 | 20 | 5-B |
| WG-1357 | 19 | 1-G |
| WG-1358 | 21 | 2-D |
| WG-1359 | 21 | 2-F |
| WG-2047 | 24 | 5-D |
| WG-2048 | 23 | 4-E |
| WG-2049 | 20 | 2-A |
| WG-2115 | 21 | 5-C |
| WG-2844 | 20 | 2-G |
| Olive | | |
| FW-1278 | 13 | 1-G |
| Padauk | | |
| FW-240 | 15 | 1-E |
| FW-619 | 15 | 2-F |
| WG-1147 | 23 | 3-H |
| WG-7024 | 23 | 4-G |
| Parudao | | |
| FW-324 | 17 | 4-B |
| Paulownia | | |
| FW-640 | 17 | 3-B |
| Pear | | |
| WG-410 | 22 | 3-D |
| WG-624 | 22 | 4-A |
| WG-699 | 21 | 3-C |
| WG-946 | 20 | 3-D |
| WG-1381 | 21 | 5-B |
| WG-1382 | 21 | 4-E |
| WG-1383 | 22 | 5-A |
| WG-1384 | 22 | 4-B |
| WG-2244 | 21 | 1-C |
| WG-2246 | 20 | 2-F |
| Pine/Larch | | |
| FW-641 | 17 | 3-E |
| FW-1307 | 11 | 3-A |
| FW-1811 | 9 | 2-D |
| WG-863 | 21 | 2-A |
| Plum | | |
| FW-1036 | 17 | 4-E |
| WG-940 | 22 | 2-D |
| WG-1066 | 24 | 3-B |
| WG-1067 | 19 | 4-A |
| Primavera | | |
| WG-408 | 24 | 4-B |
| WG-693 | 23 | 5-G |
| WG-694 | 21 | 5-F |
| Redwood | | |
| MW-1418 | 18 | 4-B |
| MW-1419 | 18 | 3-D |
| Rosewood | | |
| FW-1135 | 16 | 1-E |
| FW-1136H | 16 | 2-E |
| FW-7013 | 15 | 4-G |
| FW-7014 | 16 | 3-D |
| WG-159 | 23 | 4-H |
| WG-663 | 23 | 2-H |
| WG-2304 | 23 | 1-H |
| Silver Heart | | |
| WG-250 | 20 | 1-G |
| Slimline | | |
| FW-521 | 14 | 4-G |
| FW-522 | 17 | 1-C |
| Sugi/Cedar | | |
| WG-846 | 21 | 4-A |

- ★ For interior applications requiring maximum resistance to fading from UV exposure
- ✳ For interior applications requiring maximum resistance to UV fading, not recommended for use on PVC-coated steel panels
- Ⓜ Not recommended for use on compound curved surfaces
- Ⓜ Not recommended for butt joint applications

- NEW New design
- Ⓜ Available in E-series
- H A product number ending in "H" indicates horizontal grain direction
- Ⓜ Pattern is large scale; view full pattern width image at 3M.com/AMD
- Ⓜ Available in EX Series. See page 43 for visual appearance.

Index: Wood Type

| Product Code | Page | Column |
|-----------------|------|--------|
| Sycamore | | |
| WG-247 | 19 | 1-B |
| WG-248 | 20 | 1-C |
| WG-478 | 20 | 3-C |
| WG-660 | 19 | 1-E |
| WG-709 | 21 | 5-D |
| WG-1380 | 21 | 1-A |
| WG-2056 | 21 | 4-C |
| Teak | | |
| FW-1039H | 15 | 2-C |
| FW-1124 | 15 | 1-C |
| FW-1125 | 13 | 1-E |
| FW-1271 | 9 | 1-E |
| FW-1272 | 10 | 4-G |
| FW-1273 | 14 | 4-A |
| FW-1302 | 11 | 4-A |
| FW-1805 | 12 | 2-E |
| FW-7007 | 17 | 3-A |
| FW-7015 | 16 | 4-A |
| WG-157 | 23 | 5-C |
| WG-430 | 23 | 1-D |
| WG-1140 | 23 | 5-A |
| WG-1141 | 20 | 4-E |
| WG-1376 | 24 | 1-C |
| WG-7022 | 22 | 3-F |
| WG-7023 | 22 | 1-D |
| Tineo | | |
| FW-1274 | 9 | 3-G |
| FW-1275 | 17 | 2-B |
| WG-1336 | 19 | 4-G |
| WG-1337 | 20 | 5-H |
| WG-1338 | 23 | 5-H |
| Walnut | | |
| FW-233 | 13 | 2-G |
| FW-330 | 16 | 4-D |
| FW-332 | 15 | 4-C |
| FW-338 | 16 | 1-C |
| FW-501 | 13 | 2-D |
| FW-502 | 13 | 1-F |
| FW-510 | 15 | 3-D |
| FW-608H | 13 | 3-B |
| FW-609H | 15 | 4-B |
| FW-613 | 14 | 2-E |
| FW-614 | 15 | 2-D |
| FW-650 | 15 | 4-A |
| FW-651 | 16 | 1-B |
| FW-795 | 13 | 3-C |
| FW-1020 | 15 | 2-G |
| FW-1021 | 14 | 4-E |
| FW-1022 | 14 | 3-D |
| FW-1023 | 12 | 2-B |
| FW-1113 | 15 | 3-A |
| FW-121H | 14 | 4-D |

| Product Code | Page | Column |
|--------------|------|--------|
| FW-1122 | 12 | 1-B |
| FW-1123 | 13 | 2-B |
| FW-1207 | 9 | 1-G |
| FW-1208 | 9 | 4-D |
| FW-1209 | 9 | 3-D |
| FW-1210 | 9 | 1-F |
| FW-1276 | 13 | 2-E |
| FW-1277 | 14 | 4-C |
| FW-1331 | 13 | 4-C |
| FW-1801 | 15 | 4-D |
| FW-7006 | 15 | 1-G |
| FW-7008 | 14 | 2-F |
| FW-7009 | 16 | 2-C |
| FW-1365 | 19 | 2-A |
| WG-1366 | 19 | 3-C |
| WG-1367 | 20 | 5-G |
| WG-1368 | 23 | 1-A |
| WG-1369 | 23 | 1-B |
| WG-1370 | 23 | 1-C |
| WG-1371 | 23 | 1-G |
| WG-1372 | 23 | 2-E |
| WG-1373 | 23 | 5-D |
| WG-1374 | 24 | 1-B |
| WG-2019 | 23 | 1-B |
| WG-2033 | 23 | 2-G |
| WG-2041 | 24 | 1-E |
| WG- | | |